AUTHOR INDEX

Abe, H.
See Ushio, Y.
Abe, Yoichiro, Kasuya, Yoshitoshi, Kudo, M., Yamashita, K., Goto, K., Masaki, T. and Takuwa, Y.
ET-1-induced phosphorylation changes 431
Abe, Youichi
See Fukui, K.
Abiru, T.
See Kogi, K.
Aihara, H.
See Muramatsu, M.
Aihara, K.
See Kogi, K.
Aizu, E., Yamamoto, S., Nishikawa, K. and Kato, R.
PGE_2 release by EGF and anthralin 361
Akamatsu, H., Miyachi, Y., Asada, Y. and Niwa, Y.
Antioxidant action of azelastine 583
Akima, M.
See Takanashi, H.
Andruskiewicz, C.
See Kau, S.
Aoki, J.
See Suzuki-Nishimura, T.
Asada, Y.
See Akamatsu, H.
Asai, F. and Oshima, T.
Anemia and recombinant erythropoietin 291
Azuma, M.
See Houchi, H.

Baba, H.
See Toda, N.
Bay, B.-H.
See Sit, K.-H.

Chatterjee, A.K. and Kaveeshwar, U.
Toxicity of OPCs and HPD 147
Chen, G.
See Nakashima, Mikio
Chiba, S.
See Ren, L.-M.
See Skrbic, R.
Chikahisa, L.
See Oyama, Y.

Do, M.L.
See Kau, S.

Ebihara, A.
See Fujimura, A.

Fang, T.
See Ushio, Y.
Fujii, Y.
See Miyamoto, K.
Fujimori, K.
See Nakazawa, K.
Fujimura, A., Ohashi, K. and Ebihara, A.
Li and urinary prostaglandins 565
Fujimura, A., Shiga, T., Ohashi, K. and Ebihara, A.
Chronopharmacology of trichlormethiazide 437
Fujiwara, M.
See Ninomiya, H.
Fukuda, N.
See Takami, K.
Fukuda, T.
See Ikegami, Y.
Fukui, K., Iwao, H., Nakamura, A., Tamaki, T. and Abe, Youichi
Water deprivation, morphine and ANP mRNA 45
Fukui, T.
See Nakajyo, S.
Furukawa, K.
See Une, T.
Furukawa, Y.
See Ren, L.-M.

Gemba, M.
See Kameyama, Y.
Goto, K.
See Abe, Yoichiro

Hara, Y.
See Nakajyo, S.
Harada, M.
See Nakazawa, K.
Harada, Y.
See Kawamura, Michiko
Hashimoto, H., Satoh, N. and Nakashima, Mitsuyoshi
Antiarrhythmic drugs and infarcted hearts 463
Hashimoto, T.
See Takami, K.
Hashimoto, Y.
See Kunugi, Y.
Hashitani, H.
See Nakashima, Mikio
Hata, T.
See Ohara, H.
Hata, Y.
See Ota, S.
Hayashi, H.
See Oyama, Y.
Hayashi, M.
See Imai, Y.
Higuchi, M.

See Miyagi, H.
Hirabayashi, M., Saito, T. and Tadokoro, S.
Sensitization to MAP and cage size 91
Hiraishi, H.
See Ota, S.
Hiraoka, Y.
See Kunugi, Y.
Hirose-Kijima, H.
See Muramatsu, M.
Honda, K.
See Kamato, T.
Houchi, H., Azuma, M., Oka, M. and Morita, K.
Idebenone and catecholamine secretion 553
Howe, B.
See Kau, S.

Ikegami, Y., Nishio, H., Fukuda, T., Nakata, Y. and Segawa, T.
Con A on platelet $[Ca^{++}]_i$ 233
Ikezawa, K.
See Kikkawa, H.
Imai, Y., Hayashi, M. and Oh-ishi, S.
Role of complement in zymosan pleurisy 225
Imamura, L., Ohta, H., Ni, X.-H., Matsumoto, Kinzo and Watanabe, H.
Working memory in gerbils 601
Inagaki, C.
See Kunugi, Y.
Inoki, R.
See Ohnishi, T.
Inoue, Kazuhide
See Nakazawa, K.
Inoue, Keizo
See Suzuki-Nishimura, T.
Inoue, Y.
See Ren, L.-M.
Ishida, R.
See Kubo, M.
Ishihara, A., Saito, H., Ohta, H. and Nishiyama, N.
Memory performance in BF lesioned mice 329
Ito, H.
See Kamato, T.
Itoh, N.
See Yoshiya, M.
Itoh, Z.
See Takanashi, H.
Ivey, K.J.
See Ota, S.
Iwakami, N.
See Sugai, T.
Iwao, H.
See Fukui, K.

Kageyama, C.
See Shigenobu, K.
Kamato, T., Miyata, K., Ito, H., Yuki, H., Yamano, M. and Honda, K.
Antiemetic properties of YM060 387
Kamei, C. and Tasaka, K.
Active avoidance response and histamine 473
Kameyama, T.
See Nabeshima, T.
Kameyama, Y. and Gemba, M.
Iron and lipid peroxidation by cisplatin 259
Karasawa, Y.
See Ren, L.-M.
Kasuya, Yoshitoshi
See Abe, Yoichiro
Kasuya, Yutaka
See Yamashita, T.
Kato, J.
See Kubo, M.
Kato, R.
See Aizu, E.
See Nagata, K.
Katoh, A.
See Nabeshima, T.
Katori, M.
See Kawamura, Michiko
Kau, S., Yochim, C., Do, M.L., Leszczynska, K., Andruskiewicz, C., Schwartz, J., Li, J. and Howe, B.
A eukalemic/antiarrhythmic diuretic 263
Kaveeshwar, U.
See Chatterjee, A.K.
Kawabe, Y.
See Takanashi, H.
Kawamura, I., Mizota, T., Kondo, N., Shimomura, K. and Kohsaka, M.
Droloxifene and DMBA-induced mammary tumor 215
Kawamura, Michiko, Harada, Y. and Katori, M.
Enhanced PGI_2 generation by MK-447 113
Kawamura, Minoru
See Ohara, H.
Kawasaki, H.
See Nakamura, S.
Kigoshi, S.
See Muramatsu, I.
Kikkawa, H., Naito, K. and Ikezawa, K.
Tracheal relaxing effects of TA-2005 175
Kimura, I., Okazaki, M., Uwano, T., Kobayashi, S. and Kimura, M.
SuCh action for ACh release 397
Kimura, K.
See Ueda, F.
Kimura, M.
See Kimura, I.
Kimura, T.
8-Substituted cyclic AMP on heart 1
Kobayashi, S.
See Kimura, I.

Kogi, K., Uchibori, T., Aihara, K., Yamaguchi, T. and Abiru, T.
Cardiovascular effects of YT-146 153
Kohsaka, M.
See Kawamura, I.
Kojima, J., Sugawara, Y. and Obara, S.
NIK-247 blocks ionic currents 545
Kojima, K.
See Sugai, T.
Komiya, M.
See Une, T.
Komori, S.
See Sugisawa, K.
Kondo, N.
See Kawamura, I.
Kou, M.
See Nakashima, Mikio
Kubo, K.
See Yoshitake, I.
Kubo, M., Ochiai, T., Kato, J. and Ishida, R.
TA-6366 and hypertension development 517
Kudo, M.
See Abe, Yoichiro
Kunugi, Y., Hiraoka, Y., Hashimoto, Y., Taniguchi, T. and Inagaki, C.
Renal ATP-dependent Cl^- transport 167
Kuribara, H. and Tadokoro, S.
Behavioral characteristics of MK-801 425
Kuriyama, H.
See Nakashima, Mikio
Kyoi, T.
See Ueda, F.

Leszczynska, K.
See Kau, S.
Li, J.
See Kau, S.

Maeda, S.
See Ohnishi, T.
Maruyama, E.
See Nabeshima, T.
Masaki, T.
See Abe, Yoichiro
Masuda, Y.
See Yamashita, T.
Masukawa, T. and Tochino, Y.
Rhythm of decapitation-induced gasping 355
Matsuda, K.
See Suzuki-Nishimura, T.
Matsumoto, J., Takeuchi, K. and Okabe, S.
Capsaicin on gastric mucosal blood flow 205
Matsumoto, Ken
See Ohnishi, T.
Matsumoto, Kinzo
See Imamura, L.
Mimura, K.
See Ueda, F.
Misawa, M.
See Suzuki, T.
Miura, T.
See Ohara, H.
Miyachi, Y.
See Akamatsu, H.
Miyagi, H., Higuchi, M., Nakayama, M., Moromizato, H. and Sakanashi, M.
Ouabain-like action of PIH plasma 571
Miyamoto, K., Wakusawa, S., Nomura, M., Sanae, F., Sakai, R., Sudo, K., Ohtaki, Y., Takeda, S. and Fujii, Y.
Effects of gomisin A on hepatocarcinogenesis 71
Miyata, K.
See Kamato, T.
Mizota, T.
See Kawamura, I.
Morimoto, Y., Shimohara, K., Oshima, S. and Sukamoto, T.
Anti-ulcer activity of KB-5492 495
Morishita, S.
See Shimaji, H.
Morita, K.
See Houchi, H.
Moromizato, H.
See Miyagi, H.
Murakami, M.
See Ren, L.-M.
Muramatsu, I., Kigoshi, S. and Ohmura, T.
Distinct α_1 subtypes in blood vessels 535
Muramatsu, M., Hirose-Kijima, H., Aihara, H. and Otomo, S.
A new H_2-receptor antagonist, IT-066 13
Mutoh, H.
See Ota, S.

Nabeshima, T., Maruyama, E., Katoh, A. and Kameyama, T.
Tacrine and amnesia 311
Nagata, K., Shimada, M., Yamazoe, Y. and Kato, R.
P-450Md mRNA regulation 123
Nagaya, K.
See Suzuki-Nishimura, T.
Naito, K.
See Kikkawa, H.
Nakajyo, S., Fukui, T., Hara, Y., Shimizu, K. and Urakawa, N.
Ca^{2+} antagonism by tiamulin in intestinal muscle 591
Nakamura, A.
See Fukui, K.
Nakamura, S., Kawasaki, H. and Takasaki, K.
Natriuretic peptide and clonidine 443
Nakashima, Mikio, Kou, M., Hashitani, H., Chen, G.,

Ono, H., Kuriyama, H. and Suzuki, H.
FRC-8653 on artery 51
Nakashima, Mitsuyoshi
See Hashimoto, H.
Nakata, Y.
See Ikegami, Y.
Nakayama, M.
See Miyagi, H.
Nakazawa, K., Watano, T., Ohara-Imaizumi, M., Inoue, Kazuhide, Fujimori, K., Ozaki, Y., Harada, M. and Takanaka, A.
Hirsutine and membrane currents 507
Namimatsu, A.
See Ohara, H.
Ni, X.-H.
See Imamura, L.
Niida, H.
See Takeuchi, K.
Ninomiya, H. and Fujiwara, M.
STA_2 and IPs accumulation in canine arteries 349
Nishikawa, K.
See Aizu, E.
Nishio, H.
See Ikegami, Y.
Nishiwaki, H.
See Takeuchi, K.
Nishiyama, N.
See Ishihara, A.
Niwa, Y.
See Akamatsu, H.
Nomura, M.
See Miyamoto, K.
Nomura, Y.
See Ohnuki, T.

Obara, S.
See Kojima, J.
Ochiai, T.
See Kubo, M.
Oh-ishi, S.
See Imai, Y.
See Qu, X.F.
Ohara, H., Kawamura, Minoru, Namimatsu, A., Miura, T., Yoneda, R. and Hata, T.
Mechanism of hyperalgesia in SART stress 243
Ohara-Imaizumi, M.
See Nakazawa, K.
Ohashi, H.
See Sugisawa, K.
Ohashi, K.
See Fujimura, A.
Ohishi, E.
See Yoshitake, I.
Ohmura, T.
See Muramatsu, I.
Ohnishi, T., Saito, K., Maeda, S., Matsumoto, Ken, Sakuda, M. and Inoki, R.
Morphine and ^{3}H-nitrendipine binding 251
Ohnuki, T. and Nomura, Y.
PI turnover by CCh in aged rat brain 483
Ohta, H.
See Imamura, L.
See Ishihara, A.
Ohtaki, Y.
See Miyamoto, K.
Oka, M.
See Houchi, H.
Okabe, S.
See Matsumoto, J.
See Takeuchi, K.
Okamoto, H.
See Yoshiya, M.
Okazaki, M.
See Kimura, I.
Okuda, T.
See Ushio, Y.
Ono, H.
See Nakashima, Mikio
Oshima, S.
See Morimoto, Y.
Oshima, T.
See Asai, F.
Osumi, S.
See Shimaji, H.
Ota, S., Hiraishi, H., Terano, A., Mutoh, H., Hata, Y., Ivey, K.J. and Sugimoto, T.
Cimetidine and gastric protection 63
Otani, K.
See Suzuki, T.
Otomo, S.
See Muramatsu, M.
Oyama, Y., Chikahisa, L., Tomiyoshi, F. and Hayashi, H.
Triphenyltin and intracellular Ca^{2+} 419
Ozaki, Y.
See Nakazawa, K.

Qu, X.F., Yamaki, K. and Oh-ishi, S.
Mouse paw allergic reaction 255

Ren, L.-M., Furukawa, Y., Karasawa, Y., Murakami, M., Takayama, S., Inoue, Y., Sawaki, S. and Chiba, S.
Effects of omega-conotoxin GVIA in heart 613
Riker, W.K.
See Somei, K.

Saito, H.
See Ishihara, A.
Saito, K.
See Ohnishi, T.
Saito, T.

See Hirabayashi, M.
Sakai, R.
See Miyamoto, K.
Sakai, T.
See Yamashita, T.
Sakanashi, M.
See Miyagi, H.
Sakuda, M.
See Ohnishi, T.
Sanae, F.
See Miyamoto, K.
Satoh, N.
See Hashimoto, H.
Sawaki, S.
See Ren, L.-M.
Schwartz, J.
See Kau, S.
Segawa, T.
See Ikegami, Y.
Shiga, T.
See Fujimura, A.
Shigenobu, K., Kageyama, C. and Watanabe, M.
Cardiac effects of NIP-121 117
Shimada, M.
See Nagata, K.
Shimaji, H., Shirahase, H., Morishita, S. and Osumi, S.
Effect of indapamide on growth of cells 609
Shimizu, K.
See Nakajyo, S.
Shimohara, K.
See Morimoto, Y.
Shimomura, K.
See Kawamura, I.
Shino, A.
See Takami, K.
Shirahase, H.
See Shimaji, H.
Sit, K.-H., Wong, K.-P. and Bay, B.-H.
Genistein dissection of ATP inductions 109
Skrbic, R. and Chiba, S.
Reactivity of lingual vasculature 99
Somei, K. and Riker, W.K.
Caffeine RMH in ganglion cells 25
Sudo, K.
See Miyamoto, K.
Sugai, T., Kojima, K., Iwakami, N. and Suzuki, Y.
Vasodilating effects of tilisolol 367
Sugawara, Y.
See Kojima, J.
Sugimoto, T.
See Ota, S.
Sugisawa, K., Komori, S., Takewaki, T. and Ohashi, H.
Effect of nitroprusside on peristalsis 279
Sukamoto, T.
See Morimoto, Y.
Suzuki, H.
See Nakashima, Mikio
Suzuki, T., Otani, K. and Misawa, M.
Genetic difference in opioid dependence 455
Suzuki, Y.
See Sugai, T.
Suzuki-Nishimura, T., Nagaya, K., Matsuda, K., Uchida, Masaatsu K., Aoki, J., Umeda, M. and Inoue, Keizo
Sugar-specific inhibition of secretion 79

Tadokoro, S.
See Hirabayashi, M.
See Kuribara, H.
Takami, K., Hashimoto, T., Shino, A. and Fukuda, N.
Histopathology of spinal injury, and TRH 405
Takanaka, A.
See Nakazawa, K.
Takanashi, H., Kawabe, Y. and Akima, M.
Epimerization of arbaprostil by acid 559
Takanashi, H. and Itoh, Z.
Antisecretory activity of arbaprostil 447
Takasaki, K.
See Nakamura, S.
Takayama, S.
See Ren, L.-M.
Takeda, S.
See Miyamoto, K.
Takeuchi, K., Nishiwaki, H., Niida, H., Ueshima, K. and Okabe, S.
DDC-induced duodenal ulcer 299
Takeuchi, K.
See Matsumoto, J.
Takewaki, T.
See Sugisawa, K.
Takuwa, Y.
See Abe, Yoichiro
Tamaki, T.
See Fukui, K.
Tanaka, S.
See Yamashita, T.
Taniguchi, T.
See Kunugi, Y.
Tanobe, Y.
See Toda, N.
Tasaka, K.
See Kamei, C.
Terano, A.
See Ota, S.
Tochino, Y.
See Masukawa, T.
Toda, N., Tanobe, Y. and Baba, H.
NO, inhibitory nerve and duodenum 527
Tomiyoshi, F.

See Oyama, Y.
Tsutsui, Y.
See Yoshiya, M.

Uchibori, T.
See Kogi, K.
Uchida, Masaatsu K.
See Suzuki-Nishimura, T.
Uchida, Masayuki, Yano, S. and Watanabe, K.
Aggravation of antral ulcer by capsaicin 377
Ueda, F., Kyoi, T., Mimura, K., Kimura, K. and Yamamoto, M.
Cyclic AMP and IC 321
Ueshima, K.
See Takeuchi, K.
Umeda, M.
See Suzuki-Nishimura, T.
Une, T., Furukawa, K. and Komiya, M.
5-HT_3 receptor binding assay 197
Urakawa, N.
See Nakajyo, S.
Ushio, Y., Fang, T., Okuda, T. and Abe, H.
Modification of macrophages by geraniin 187
Uwano, T.
See Kimura, I.

Wakusawa, S.
See Miyamoto, K.
Watanabe, H.
See Imamura, L.
Watanabe, K.
See Uchida, Masayuki
Watanabe, M.
See Shigenobu, K.
Watano, T.
See Nakazawa, K.
Wong, K.-P.
See Sit, K.-H.

Yamaguchi, T.
See Kogi, K.
Yamaki, K.
See Qu, X.F.
Yamamoto, M.
See Ueda, F.
Yamamoto, S.
See Aizu, E.
Yamano, M.
See Kamato, T.
Yamashita, K.
See Abe, Yoichiro
Yamashita, T., Masuda, Y., Sakai, T., Tanaka, S. and Kasuya, Yutaka
NZ-105 binding and $^{45}Ca^{2+}$ uptake 337
Yamazoe, Y.
See Nagata, K.
Yano, S.
See Uchida, Masayuki
Yochim, C.
See Kau, S.
Yoneda, R.
See Ohara, H.
Yoshitake, I., Ohishi, E. and Kubo, K.
Hepatoprotective effects of KF-14363 127
Yoshitake, I. and Kubo, K.
Hepatoprotective mechanism of KF-14363 137
Yoshiya, M., Tsutsui, Y., Itoh, N. and Okamoto, H.
Angiotensinogen in rat urine 37
Yuki, H.
See Kamato, T.

SUBJECT INDEX

Acetylcholine release (evoked) 397
Acid phosphatase 187
Acid secretion 447
Activation delay 463
Active avoidance 473
Activity cage size 91
Adaptive cytoprotection 63
Adenosine derivative 153
Adrenergic mechanisms 99
α-Adrenergic subtypes 99
β_2-Adrenoceptor agonists 175
β-Adrenoceptor antagonists 367
α_1-Adrenoceptor subtype 535
α_{1H}-Adrenoceptor subtype 535
Age-related changes 483
Alkaline secretion 299
Ambulatory activity 91
Aminopyridines 545
Anemia 291
Angiotensin I converting enzyme (ACE) activity 517
Angiotensin II 113
Angiotensinogen 37
Anthralin 361
Anti-inflammatory action 583
Anti-ulcer agents 495
Antiarrhythmic drugs (class I) 463
Antiestrogen drug 215
Antinatriferic activity 263
Antioxidant system 299
Antitumor 215
Antral ulcer 377
Arachidonic acid release 361
Arbaprostil 447, 559
Arrhythmias 463
Arterial smooth muscle 51
Artery (dog) 349
Arthritis 291
ATP 51
Atrial natriuretic peptide (ANP) 443
Atrial natriuretic peptide (ANP) mRNA 45
Atrium (guinea pig) 13
Atrium (isolated dog) 613
Atropine sulfate 377
Auricles 45
Azelastine 583

Balb/c 3T3 cell 609
Basal forebrain lesion 311, 329
Blood platelets 233
Blood pressure 571
Body temperature 355
Bradykinin 79
Brain (rat) 483
Brain natriuretic peptide 443

Ca channel 507
Ca^{2+} antagonism 591
$^{45}Ca^{2+}$ uptake 337
Ca^{2+}-activated potassium conductance 25
Ca^{2+}-sensitive dye 419
Caffeine 25
Calcium antagonist 51, 337
Calcium influx 233
Calcium mobilization 233
Caldesmon phosphorylation 431
Cannula inserting method 99
Capsaicin 205
Capsaicin-sensitive nerve 377
Capsaicin-sensitive sensory neuron 205
Cardiac action potential 117
Cardiovascular effect 153
Carotid artery (dog) 535
Catecholamine secretion 553
Cell proliferation 109
Central pressor response 443
Cerebral ischemia 601
Ceruletide 425
Chromaffin cells 553
Chronopharmacology 437
Cimetidine 63
Circadian periodicity 355
Cisplatin 259, 387
Cl^- pump 167
Cl^--ATPase 167
Clonidine 443
Cobra venom factor 225
Codeine 455
Complement 225
Complete ischemia 355
Compound 48/80 79
Concanavalin A 233
omega-Conotoxin GVIA 613
Cortex (rat) 197
Coupling interval 463
Cyclic AMP 25, 321
Cyclic AMP derivatives 1
Cyclic GMP 279
Cycloheximide 311
Cyclophosphamide 387
Cytochrome P-450 123
Cytoprotection 63

Decapitation-induced gasping 355
Deferoamine 259
Delayed nonmatching to position task 601
2-Deoxy-D-glucose 377

Detoxication 147
Development of hypertension 517
Dexamethasone induction 123
Diethyldithiocarbamate 299
Digoxin antibody 571
Dihydropyridine receptor 337
DMBA (7,12-dimethylbenz(a)anthracene) 215
DNA suppression 109
Droloxifene (DROL, (E)-α-[p-[2-(dimethylamino)ethoxy]-phenyl]-α′-ethyl-3-stilbenol) 215
Duodenal ulcer 299

Emesis 387
Endogenous prostaglandin 205
Endothelin-1 431
Epidermal cells 361
Epidermal growth factor 361
Epimerization 559
Erythropoietin 291
Ethacrynic acid 167
Experimental hepatotoxicity model 127

Flow-cytometry 419
FRC-8653 (2-methoxyethyl(E)-3-phenyl-2-propen-1-yl(±)-1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-pyridine-3,5-dicarboxylate) 51

Galanin 527
Gastric acid secretion 495, 559
Gastric epithelial cells (cultured rabbit) 321
Gastric mucosal blood flow 205, 495
Gastric mucosal hexosamine content 495
Genetic difference 455
Geraniin 187
Gomisin A 71
Growth hormone regulation 123

H_1-blockers 473
H_2-receptor antagonist 13
Heart weight 517
Hepatoprotection 127
High protein diet 147
Hirsutine 507
Histamine 473
Histamine release 79
Histopathological change 405
Histopathology 71
5-HT_3 receptor 197
5-HT_3-receptor antagonist 387
Hyperalgesia 243
Hypotensive effects 367

ICI 181,037 (R*S*-2-[2-dimethylamino-l-hydroxy-1-(2-methoxy-5-(1,1-dimethylethyl)-phenyl)propyl) phenoxy]acetamide) 263
Idebenone 553
Ileum 279
Indapamide (4-chloro-N-(2-methyl-1-indolinyl)-3-sulfamoylbenzamide hemihydrate) 609
Inflammation 291
Inositol phosphates 349
Intercellular communication 321
Intestinal smooth muscle 591
Intracerebroventricular injection 473
[^{125}I]Iodocyanopindolol 175
Ionic currents 545
Iron supplementation 291
Irsogladine 321
IT-066 (3-amino-4-[4-[4-(1-piperidinomethyl)-2-pyridyloxy]-cis-2-butenylamino]-3-cyclobutene-1,2-dione hydrochloride) 13

Junction potential 51

K channel 545
K^+ channel openers 117, 367
K^+-induced contraction 591
Kaliuresis 263
KB-5492 (4-methoxyphenyl 4-(3,4,5-trimethoxybenzyl)-1-piperazineacetate monofumarate monohydrate) 495
KF-14363 (1-[(2-thiazolin-2-yl)amino]acetyl-4-(1,3-dithiol-2-ylidene)-2,3,4,5-tetrahydro-*1H*-1-benzazepin-3,5-dione hydrochloride) 127, 137

Lectin 79
Lingual arteries (isolated) 99
Lipid peroxidation 259
Lipopolysaccharide 37
Lithium 565
Liver 71

Macrophages 187
Male dominant expression 123
Mammary tumors 215
Mast cell 79
Membrane stabilizing effect 137
Methamphetamine 91, 425
3'-Methyl-4-dimethylaminoazobenzene (3'-MeDAB) 71
15(S)-15-Methylprostaglandin E_2 559
MK-447 (2-aminomethyl-4-*t*-butyl-6-iodophenol·HCl) 113
MK-801 ((+)-5-methyl-10,11-dihydro-5H-dibenzo-[a,d]-cyclohepten-5,10-imine) 425
Mongolian gerbil 601
Monoamine 243
Morphine 45, 251, 455
Morphometric parameters 405
Morris's water maze 311
M_1-Muscarinic acetylcholine receptor 483
Myocardial infarction (canine) 463

Myosin light chain phosphorylation 431

Negative inotropism 117
Neurologic status 405
Neurotropin 243
Neutrophil(s) 583
Nicotinic receptor-channel 507
NIK-247 (9-amino-2,3,5,6,7,8-hexahydro-1H-cyclopenta[b]-quinoline hydrochloride hydrate) 545
^{3}H-Nitrendipine binding 251
Nitric oxide 279, 527
Nitroprusside 279
Noradrenaline-induced contraction 535
Normal pregnancy 571
NZ-105 ((±)-2-[benzyl(phenyl)amino]ethyl-1,4-dihydro-2,6-dimethyl-5-(5,5-dimethyl-2-oxo-1,3,2-dioxaphosphorinan-2-yl)-4-(3-nitrophenyl)-3-pyridinecarboxylate hydrochloride ethanol) 337

Organophosphorus compounds 147
Ouabain-induced arrhythmia 263
Ouabain-like Na^+,K^+-ATPase inhibitory activity 571

Passive anaphylaxis 255
Passive avoidance 311
Passive avoidance task 329
Paw edema (mouse) 255
Peristalsis 279
Peritoneal exudate cell 137
Peroxidation 137
Phagocytosis 187, 583
Pharmacological profile 153
Pheochromocytoma PC12 cells 507
Phosphatidylinositol turnover 483
Phrenic nerve-diaphragm muscle (mouse) 397
Physical dependence 455
Pirenzepine 483
Plasma angiotensinogen 37
Plasma renin activity (PRA) 565
Platelet-activating factor 225
Platelet-derived growth factor (PDGF) 609
Pleurisy (rat) 225
Positive chronotropic effects 1
Positive inotropic effects 1
Pregnancy induced hypertension 571
Prostaglandin 63
Prostaglandin E_2 447, 565
Prostaglandin E_2 release 361
Prostaglandin I_2 113, 565
Protein kinase A 1
Pylorus-ligated rat 559

[^{3}H]Quipazine 197

Radical 137
Reactive oxygen species 583
Receptor binding 197
Reciprocal innervation 527
Renal Cl^- transport 167
Renal plasma membrane 167
Response to cholinergic nerve stimulation 527
Rhythmic hyperpolarization of excitable membrane 25

Saluresis 263
Scopolamine 601
β_2/β_1-Selectivity 175
Serotonin uptake 233
Sodium balance 37
Specific alternation rhythm of temperature (SART) stress 243
Spinal cord injury 405
Spontaneously hypertensive rat (SHR) 517
Succinylcholine 397
Suppression of carcinogenesis 71
Sympathetic ganglion (bullfrog) 25
Sympathetic transmission 51
Sympathomimetics 99

TA-2005 (8-hydroxy-5-[(1R)-1-hydroxy-2-[N-[(1R)-2-(p-methoxy-phenyl)-1-methylethyl]amino]ethyl]-carbostyril hydrochloride) 175
TA-6366 ((4S)-1-methyl-3-{(2S)-2-[N-((1S)-1-ethoxycarbonyl-3-phenylpropyl)amino]propionyl}-2-oxoimidazolidine-4-carboxylic acid hydrochloride) 517
Tacrine (THA, 9-amino-1,2,3,4-tetrahydroacridine) 311, 545
Thoracic aorta (rat) 535
Thromboxane A_2 349
Thyrotropin-releasing hormone (TRH) 405
Tiamulin (14-deoxy-14[(2-diethylaminoethyl)-mercaptoacetoxy]mutilin) 591
Tilisolol hydrochloride (N-696) 367
Time-dependent interaction 13
Tissue homeostasis 321
Tracheal relaxation 175
Trichlormethiazide 437
Triphenyltin 419
Triton X-100 197
Tyrosine kinase inhibitor 109

Uncaria genus 507
Urinary angiotensinogen 37

Vascular permeability increase 255
Vasoconstriction 349
Vasorelaxant effects 367
Voltage-dependent Ca^{2+} influx 553
Voltage-dependent calcium channel 337

Water deprivation 45
Withdrawal signs 455
Working memory 601

Yeasts 187

YM060 ((R)-5-[(1-methyl-3-indolyl)carbonyl]-4,5,6,7-tetrahydro-1H-benzimidazole hydrochloride) 387
YT-146 (2-octynyladenosine) 153

Zymosan 225